COFFRES DE SERRURE À MORTAISER

XS4 LA1T - Coffre de serrure à mortaiser ANSI

Spécialement conçu pour les portes exigeant un coffre de serrure à mortaiser ANSI A 156.13 grade 1 et une fonction « Privacité » avec un pêne dormant, pour une utilisation dans l'Hôtellerie. Il inclut une détection électronique intégrée pour surveiller le statut des portes en temps réel, et offre ainsi une solution simple à installer sans équipement ni perçage supplémentaire requis.



Fonctionnalités

- Coffre de serrure à mortaiser ANSI grade 1.
- Compatible avec les ensembles plaques béquilles et les cylindres électroniques standard ANSI.
- Coffre de serrure à mortaiser haute résistance et haute sécurité pour portes extérieures et intérieures standard ANSI.
- Coffre de serrure, pêne demi-tour et pêne dormant en acier.
- Equipé d'un contre-pêne (système anti-crochetage) pour prévenir des intrusions indésirables.
- Gâche standard et logement anti-poussière inclus pour une installation optimale

Caractéristiques techniques

- Entraxe 62 mm.
- Compatible avec les cylindres à mortaiser 1-1/8 » (28,6 mm).
- Têtière carrée.
- Carré : 8 mm (5/16").
- Angle de rotation : 42°.
- Axes disponibles : 70 mm.
- Têtières disponibles : 32 mm (1-1/4"x8") et 27 mm (1-1/16"x 8").


Main

- Pêne réversible pour plus de commodité.
- Têtière ajustable.

Fonctionnalités

- Détecteurs intégrés de position du pêne dormant et de la porte pour contrôler l'état de la porte sans ajout ou installation d'un composant supplémentaire.
- Détection des alarmes anti-intrusion.
- États des portes (porte ouverte/porte fermée) grâce à la technologie Radio-Fréquence Salto.
- Détecteur de la fonction privacité électronique en option intégrée pour le contrôle de l'état porte/chambre.
- Fonction de sécurité anti-panique : en position verrouillée, la rotation de la béquille intérieure rétracte le contre-pêne et le pêne dormant simultanément.
- Modèle avec pêne dormant automatique disponible.
- Coffre de serrure à mortaiser disponible avec ou sans pêne dormant pour une sécurité supplémentaire.
- La poignée rétracte le pêne en position normale.

Schémas techniques



Copyright @ 2026 SALTO Systems S.L. All rights reserved

Certifications

Copyright @ 2026 SALTO Systems S.L. All rights reserved

Clause de non-responsabilité:

For a complete description of the product range, verification of the availability and technical feasibility of the selected product, and a commercial offer, please get in touch with the local authorized Salto dealer or a Salto office.

Salto reserves the right to modify the product and its components.

Technical information and images displayed on the Salto product page are for informative purposes only and designed to inform about the main product features, options and technical specifications. Therefore, all images, illustrations, shapes, features, specifications, sizes, data, descriptions and colours shown on the Salto Systems page shall consider as no-binding approximate indications only.

Part of the content of this document may have been generated or assisted by artificial intelligence tools. This document may also include automatic or manual translations provided exclusively for informational purposes, which may contain errors or inaccuracies. Salto does not guarantee the accuracy, quality, or reliability of such content or translations, including those generated by AI.

The User is responsible for verifying the information contained in this document and, in case of doubt, must refer to the original English version, which shall prevail in the event of any discrepancy. Other language versions are provided for informational purposes only.

Although Salto makes reasonable efforts to review the content of its downloadable documents, they may contain errors or omissions. Salto assumes no liability arising from the User's use, interpretation, or decisions made based on the information contained in this document, which is used at the User's sole responsibility.

For more detailed information on the use of artificial intelligence, translations, and applicable limitations of liability, please refer to the "Terms of Use of our Website".

Copyright @ 2026 SALTO Systems S.L. All rights reserved